* *		, Ge	(eb	4					
Work Orde		11 (3)	*781	177*		,			Page 1
Revision ID:	D350-794-011 Auxiliary Fuel Tank		Accept	*N90004	L0100	* Setu	p Start Stop		S1* S2*
Start Date: (Required Date: Reference:	02/01/2012 Start Qty: 1.00 13/02/2012 Req'd Qty: 1.00	*1* *1*		Cust Item ID: Customer:				.·	
	Process Plan: M.C.J	•		Date:Date:		Run	Start Stop	*NI *NI	R1* R2*
Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours	Tool ID Too	ol# Plan Code	-		Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D350-794	С								
*100 *100* DC Document Control	DOCUMENT CONTR Memo Photocopy	OL bluefile & type labels per l	0.00 0.00 PPPD350-794-011	CHG003 S 7(N)C	>2	4	GIN	ルナ	12-1-30
*110 *110* Packaging Packaging	Pick Kit Memo		0.00		C	ers/z	/1 y	,	
120 *120* QC Quality Control	QC4- 100% Inspect kit Memo	s for completeness	0.00	10/02		1 0			

N/O:			WO	RK ORDER CHANGES				•	
DATE	STEP	PRO	OCEDURE CHAN				Date Qty Ch		Approva QC Inspecto
Part No	o:	PAR #:	Fault Categ	ory: N	CR: Yes	No DC	A:	Date: _	
	Reso	lution:	Disposition	:0	A: N/C C	losed:		Date: _	
NCR:				R NON-CONFORMANC					
		Description of NC			Section B		ication	Approval	Approva
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date		tion C	Chief Eng	QC Inspect
				- -					
						1	•		
							•		
		-		·					

NOTE: Date & initial all entries

H:\fFORMS\Quality Assurance\approved QA\NCRWO RevE

0.00

Memo

140

Quality Control

MF 12-02-02

Da	art	Aer	os	pac	e L	.td
----	-----	-----	----	-----	-----	-----

W/O:		WORK ORDER CH	HANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
Resolution:		Disposition:	QA: N/C Closed	:	Date:

NCR:		V	VORK ORE	DER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE STEP		Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector

NOTE: Date & initial all entries

Picklist Print Page 1 January-02-12 8:48:59 AM *78177* Work Order ID: 78177 *D350-794-011* Parent Item: D350-794-011 **Required Date:** 13/02/2012 Parent Item Name: Auxiliary Fuel Tank Start Date: 02/01/2012 Required Qty: 1.00 Start Qty: 1.00 IPP Rev:A 10.05.17 ECN10-562 DD verf:EC Comments: Qty on Qty per Kit Total Last Route Unit of Qty Date Replacement Mfg/ Bin Primary Component Item ID/ Status Measure Hand Issued Issued Item ID Item Location Location Seq ID Oty Item Name Purch 1.0000 No 110 Each D350-794-013 Manufactured CHUDGET? ** Auxiliary Fuel Tank Provisions Loc Qty Loc Code Location ST 75357

110

Manufactured

Tank Assembly

No

Each

0.0000

**

78/79////01/3.

Dart Aerospace Lte

W/O:		WORK ORDER CH	WORK ORDER CHANGES						
DATE STEP		PROCEDURE CHANGE	Ву	By Date		Approval Chief Eng / Prod Mgr	Approval QC Inspector		
2									
					ļ.				
					<u></u>				

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
Resol	ution:	Disposition:	QA: N/C Closed	l:	Date:

NCR:		\	WORK ORDER NON-CONFORMANCE (NCR)						
		D (1)		Corrective Action Section B	Section B Verification		Approval	Approval	
DATE	STEP	Description of NC Section A			Sign & Section C Date		Chief Eng	QC Inspector	
				•					
				·					
						·			

NOTE: Date & initial all entries

REFERENCE ON!

DART AEROSPACE LTD.



IIN-D350-794

Page 32 of 35

4.0 ELECTRICAL LOAD

The electrical load effect for each aircraft must be assessed as follows.

Component	Load
Fuel Pump	3.00 Amps
Fuel Gauge	0.45 Amps
Fuel Sender	0.13 Amps
Total Installation	3.58 Amps = 100 Watts

5.0 WEIGHT AND BALANCE

The following is the weight increase associated with the Aux Fuel Tank Installation. Be sure to subtract the weight of any parts or material removed.

		LA	TERAL	LONG	ITUDINAL
Installation	Weight	Arm	Moment	Arm	Moment
D350-794-011 Auxiliary Fuel Tank	29.8 lb	-22.0 in	-655.6 in-lb	126.0 in	3754.8 in-lb
(AS350 models)	13.5 kg	-0.56 m	-7.56 m-kg	3.20 m	43.2 m-kg
D350-794-013 Auxiliary Fuel Tank Provisions (AS350 models)	5.5 lb	-14.6 in	-80.3 in-lb	163.4 in	898.7 in-lb
	2.5 kg	-0.37 m	-0.93 m-kg	4.15 m	10.4 m-kg
D130-794-021 Auxiliary Fuel Tank	29.8 lb	-23.6 in	-703.3 in-lb	126.0 in	3754.8 in-lb
(EC130 models)	13.5 kg	-0.60 m	-8.1 m-kg	3.20 m	43.2 m-kg
D130-794-023 Auxiliary Fuel Tank Provisions (EC130 models)	5.5 lb	-16.1 in	-88.6 in-lb	163.4 in	898.7 in-lb
	2.5 kg	-0.41 m	-1.03 m-kg	4.15 m	10.4 m-kg

6.0 PARTS LIST

	0.0	PARIS	PIOI				
Qty, /-0115	Qty -013	Qty	Qty	Qty	D-411	Superseded	
	-013	-021	-023	-041	Part Number	Part Numbers	Description
,X,	!				D350-794-011		AUXILIARY FUEL TANK (AS 350 SERIES)
1.1	X				D350-794-013	1	AUXILIARY FUEL TANK PROVISIONS
							(AS 350 SERIES)
		X			D130-794-021	!	AUXILIARY FUEL TANK (EC 130 SERIES)
		1	X		D130-794-023		AUXILIARY FUEL TANK PROVISIONS
							(EC 130 SERIES)
/1		1	-	_ X	D350-794-041	þ	TANK ASSEMBLY
			,				
				1	D4055-041	JCA/M47-1-01A	FUEL TANK
	1		1		D4022-041	A8150-B1-JCA	FUEL TRANSFER PUMP ASSEMBLY
				1	D4023-1	ER281	FUEL CAP
	1		1		D4002-5	JCA-M47-2-13	SUPPLY HOSE - FROM AUX TANK
	1		1		D4003-047	JCA-M47-2-16	FUEL PUMP INLET PIPE
i	1		1		D4002-7	JCA-M47-2-25	SUPPLY HOSE - PUMP TO MAIN TANK
							FILLER NECK
				1	D4002-041	JCA-M47-1-13	DRAIN HOSE ASSEMBLY - FRONT
				1	D4002-043	JCA-M47-1-16	DRAIN HOSE ASSEMBLY REAR
	<u> </u>			_ 2	M\$20822-3D		UNION
	1		1		AN832-6D		BULKHEAD UNION
				1	AN816-6D		STRAIGHT FITTING
	2		2		AN924-6D		NUT (ALTERNATE AS5178D06)
	2		2		NAS1149D0963J		WASHER

COPYRIGHT © 2009 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C

REFERENCE ON

DART AEROSPACE LTD.

IIN-D350-794

Page 33 of 35

Qty -011	Qty -013	Qty -021	Qty -023	Qty -041	Part Number	Superseded Part Numbers	Description
				1	MS20822-8D		90° FITTING
	2		2		AN815-6D		UNION
	2		2		MS29512-06		ORING
	1		1		D4022-3	05-00021	FUEL PUMP MOUNTING BRACKET
	2		2		AN3-4A		BOLT
	2		2		MS21042-3		NUT
	2		2		AN970-3		WASHER
	1		1		D4008-043	JCA-M47-2-29	FUEL PUMP SPLASH GUARD
	1		1		D4004-7	N3	HOSE CLIP
				2	D4009-041	JCA-M47-4-01	BONDING BRAID
				1	D4008-041	JCA-M47-2-26	AUXILIARY TANK FILLER SPLASH GUARD
	4		4		AN525-10R6		SCREW
	1		1		D4001-3	AN832-6D-JCA	BULKHEAD FITTING - MODIFIED
	7		7		CR3212-5-5		CHERRY MAX RIVET
	18		18		CR3213-4-3		CHERRY MAX RIVET
	4		4		CR3212-4-3		CHERRY MAX RIVET
	12		12	<u> </u>	MS20470AD4-6		RIVET
	32		32		MS20470AD3-4		RIVET
	16		16		MS20470AD5-6		RIVET
	6		6		MS20470AD5-8		RIVET
	9		9		CR3213-5-2		CHERRY MAX RIVET
	6		6		CR3212-5-4		CHERRY MAX RIVET
	3		3		CR3212-5-3		CHERRY MAX RIVET
1	10		10		CR3212-5-2		CHERRY MAX RIVET
					0.1.02.12.0.2		OHERWY WIDOWALL
							Vent Assembly Parts
	2		2		MS21919WDG-8		CLAMP
	1		1		D4003-11	JCA-M47-2-21	VENT PIPE – TANK
		•	1		D4027-041	JCA-M47-2-20	VENT CLAMP ASSEMBLY
	1		1		D4003-049	JCA-M47-2-17	VENT PIPE - TANK
	1		1		D4027-043	JCA-M47-2-35	VENT CLAMP ASSEMBLY
	-i -		1		D4063-3	193-8	VENT HOSE
	2		2		2000-85	190-0	HOSE CLAMP
	1		1		NAS43DD3-32N		SPACER
	1		1		MS35207-267		SCREW
	2		2		MS35207-264		SCREW
	3		3		NAS1149D0332J		WASHER
	3		3		MS21042-3		NUT
	 			3	TBA28B		CABLE TIE FASTENER
				1	TY25MX		TIE WRAP
	1		1		MS21919WDG-6	ļ	· · · · · · · · · · · · · · · · · · ·
	1		1		D4009-041	ICA M47 4 04	CLAMP (RUBBER REMOVED)
			1		±4003-041	JCA-M47-4-01	BONDING BRAID ASSEMBLY
							Restraint Assembly Parts
	1		1		D4005-1	JCA-M47-2-03	REAR RESTRAINT ANGLE/GUTTER
	1		1		D4004-11	JCA-M47-2-11	TOP STRAP ATTACH BRACKET
]	1		1		D4004-5	JCA-M47-2-23	BOTTOM STRAP ATTACH BRACKET
	3		3		MS24694-S50		SCREW
	3		3	-	MS21042-3		NUT
	3		3		NAS1149F0363P		WASHER
	1		1		D4024-041	JCA/ASSO/MIN	ANCRA RESTRAINT STRAP
	1		1		D4004-041	JCA-M47-2-19	SIDE RESTRAINT ANGLE
	1		1		D4007-3	JCA-M47-2-18	TOP SUPPORT BRACKET
					D4006-041	JCA-M47-2-01	TANK TOP SUPPORT ASSEMBLY

COPYRIGHT © 2009 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C

Page 34 of 35

Qty -011	Qty -013	Qty -021	Qty -023	Qty -041	Part Number	Superseded Part Numbers	Description
	2		2	<u> </u>	AN4-5A	T dit Nambers	BOLT
	2		2		NAS1149F0463P		WASHER
			<u> </u>		14701149104001		VVASHER
***							Locker Preparation Parts
	1		1		D4005-041	JCA-M47-2-22	FORWARD FLOOR GUTTER
	-i-		1		D4063-041	193-6	
	- i		1		MS21919WDG-9	193-0	DRAIN HOSE
	1		1				CLAMP
	1		1		MS35207-264		SCREW
	1		1		NAS1149D0332J MS21042-3		WASHER
	1		1				NUT
	3		3		2000-6S		HOSE CLAMP
	1				NAS1474-08	100 1115 0 10	SEALED CAPTIVE ANCHOR NUT
			1		D4005-11	JCA-M47-2-12	FINISHING STRIP
	7		4		MS21059-L08		ANCHOR NUT
			7		AN525-832R6		SCREW
				<u> </u>			Electrical Parts
	1		1		D8-603		6.3A ECF FUSE (ALTERNATE HA23-6U3)
	1		1		D1-205		2.5A ECF FUSE (ALTERNATE HA21-2U5)
	1		1		MS35058-23		SWITCH
	1		11		107-964		CONNECTOR RECEPTACLE
	1		1		107-978		CONNECTOR BACKSHELL (ALTERNATE 105- 5465)
	1		_ 1		107-943		CONNECTOR PLUG
			, i	1	D4025-1	VDO-M47-JCA	FUEL QUANTITY SENDER
	4		4		MS35206-217		SCREW
	4		4		NAS1149FN416P		WASHER
	4		4		MS21044N04		NUT
	1		1		143-207		PLUG
	1		1		143-208		RECEPTACLE
	1		1		143-204		RECEPTACLE HOUSING (ALTERNATE 973-
							1490)
	1		1		143-203		PLUG HOUSING (ALTERNATE 973-1482)
	5		5		143-219		CRIMP PIN (ALTERNATE 977-3800)
	5		5		143-217		CRIMP SOCKET (ALTERNATE 977-3797)
	_ 1		1		D4009-041	JCA-M47-4-01	BONDING BRAID ASSEMBLY
	1		1		D4026-041	FL-100-R-JCA	FUEL GAUGE
	2		2		AN525-832R6		SCREW - GROUND STUD
	2		2		NAS1149FN832P		WASHER
	2		2		MS21042-08		NUT
	1		1		444-2556		GAUGE MASTER SWITCH
	1		1		D4022-5	3775628	THERMAL SWITCH (125°) – FARNELL (ALTERNATE 100-6847)
					- "		General
	1		1		AN5800-1		PLACARD HOLDER
	1		1		AN929-6D		· · · · · · · · · · · · · · · · · · ·
					ANDED-UD		BLANK CAP
							Additional EC 130 Parts
			3		MS35207-264		SCREW
			3		NAS1149D0332J		WASHER
			3		MS21042-3		NUT
			1		D4027-041	JCA-M47-2-20	VENT CLAMP ASSEMBLY
			1		D4004-043	JCA-M47-2-04	SIDE RESTRAINT ANGLE AND TIE DOWN
						23/1/11/12/07	POINT

COPYRIGHT © 2009 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C

DART AEROSPACE LTD. REFERENCE UNL

IIN-D350-794 Page 35 of 35

Qty -011	Qty -013	Qty -021	Qty -023	Qty -041	Part Number	Superseded Part Numbers	Description
			1		D4005-5	JCA-M47-2-06	ANGLE
			4		D4005-7	JCA-M47-2-07	ANGLE
			1		D4005-9	JCA-M47-2-08	ANGLE
			1		D4007-1	JCA-M47-2-02	TOP SUPPORT BRACKET
			1		D4005-3	JCA-M47-2-05	FORWARD RESTRAINT BEAM
			2		AN4-6A		BOLT
			1		D4007-5	JCA-M47-2-24	PACKER
			60		MS20470AD4-4		RIVET
			30		MS20470AD4-6		RIVET
			10		CR3213-4-3		CHERRY MAX RIVET
			10		CR3213-4-2		CHERRY MAX RIVET
							Placards
	1				D3997-1	JCA-M47-P1	FUEL QUANTITY - AS 350 MODELS
			1		D3997-3	JCA-M47-P2	FUEL QUANTITY - EC 130 B4 MODEL
	1		1		D3997-5	JCA-M47-P3	AUX FUEL DRAIN
	1		1		D3997-7	JCA-M47-P4	AUX FUEL TRANSFER PUMP
	1		1		D3997-9	JCA-M47-P5	AUX FUEL
	1		1		D3997-11	JCA-M47-P6	WEIGHT AND BALANCE
	1		1		D3997-13	JCA-M47-P7	ON/OFF
	1		1		D3997-15	JCA-M47-P8	CHECK LOCKER TANK
	1		1		D3997-17	JCA-M47-P9	STOWAGE PROHIBITED
	1		1		D3997-19	JCA-M47-P10	TANK VENT
	1		1		D3997-21	JCA-M47-P13	SWITCH FIXED
	1		1		D3997-23	JCA-M47-P14	AUX FUEL
	1				D3997-25	JCA-M47-P15	CONVERSION CHART - AS 350 MODELS
			1		D3997-27	JCA-M47-P16	CONVERSION CHART - EC 130 B4 MODEL
	1		1		D3997-29	JCA-M47-P17	DO NOT OVERFILL WARNING
	1		1		D3997-31	JCA-M47-P18	ON/OFF
	1		1		D3997-33	JCA-M47-P19	AUX GAUGE FACE
	1		1	-	D3997-35	JCA-M47-P20	AUX FUEL GAUGE
	1		1		D3997-37	JCA-M47-P21	6.3 A CIRCUIT BREAKER
	1		1		D3997-39	JCA-M47-P22	2.5A CIRCUIT BREAKER
	1		1		D3997-41	JCA-M47-P23	AUX TANK NOT FITTED
	1		1		D3997-43	JCA-M47-P24	EARTH
							

COPYRIGHT © 2009 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C